



PASSTEST
いつでも試験に合格して

PASSTEST

次の認定試験に速く合格する！

簡単に認定試験を準備し、学び、そして合格するために必要なすべて。

365日無料アップデート。最初の試みは成功を保証しました。



インスタントダウンロード

お支払い後、弊社のシステムは、1分以内に購入した商品をあなたのメールボックスにお送りします。2時間以内に届かない場合、お問い合わせください。

365日無料アップデート

購入日から365日無料アップデートをご利用いただけます。365日後、更新版がはしく続けて50%の割引を与えます。



返金保証

購入後60日以内に、試験に合格しなかった場合は、全額返金します。そして、無料で他の製品を入手できます。

セキュリティ&プライバシー

我々は顧客のプライバシーを尊重する。McAfeeセキュリティサービスを使用して、お客様の個人情報および安心のために最大限のセキュリティを提供します。

<https://www.passtest.jp/>

高質量の国際認定試験問題集の提供者、試験に合格させよう！

Exam : **C-TADM-21**

Title : SAP Certified Technology
Associate - SAP S/4HANA
System Administration

Vendor : SAP

Version : DEMO

NO.1 Which app types need SAP HANA as system database? Note: There are 2 correct answers to this question.

- A. Analytical apps
- B. Transactional apps
- C. Classic applications
- D. Fact sheet apps

Answer: A,B

NO.2 You want to configure the transport domain for the transport of AS Java-based SAP systems (for example SAP Enterprise Portal). Which entry type do you create for these systems in the System Overview area of the Transport Management System (transaction STMS)?

- A. Non-ABAP System
- B. Java Stack Configuration
- C. External System
- D. Virtual System

Answer: A

NO.3 In an AS ABAP-based SAP system, a user performs the second dialog step in a dialog transaction.

The dialog work process used in the first dialog step is occupied by a different user. What happens with this second user request?

- A. The dialog work process that handled the first dialog step performs a rollout to handle the request.
- B. The request remains in the request queue until the dialog work process that handled the first dialog step is free again.
- C. The request is processed by a different free dialog work process.
- D. The request is processed asynchronously by an update work process.

Answer: C

NO.4 What is the purpose of the SAP HANA secure user store (hdbuserstore)? Note: There are 2 correct answers to this question.

- A. To store connection information on the SAP HANA XS advanced engine
- B. To configure failover support in a 3-tier scenario
- C. To store connection information on the SAP HANA database client
- D. To configure an SAP HANA auto-restart for fault recovery

Answer: B,C

NO.5 You are working in an AS ABAP-based SAP system that runs on Linux. here is the spool data stored when you use the value 'G' for the profile parameter rspo/store_location?

- A. /usr/sap/<SID>/D<nn>/data
- B. /usr/sap/<SID>/sys/profile
- C. /usr/sap/<SID>/sys/global
- D. /usr/sap/<SID>/D<nn>/work

Answer: C